


GARAGE DOOR OPERATOR





PRODUCT DESCRIPTION:

- o The AUTOZON® garage door operator features are the most advanced. eg: control unit with various optimized features.
- o Multiple highlight LED, makes the lighting even better.
- o Multi functional external terminal, can connect to various external devices like: photocell (optional), wall switch (optional) and many more.
- o Safety reverse function, soft start and stop.
- o During operation, the opener makes real-time detection of resistance to ensure precise positioning.
- o Auto-close time is adjustable.
- o With low noise & strong lifting force.
- o Backup battery interface is available incase of power failure or low voltage.
- o Opening & closing force is self-learning.
- o Steel sectional rail with chain and rail with belt (3.9 metre rail with 3 parts).



GARAGE DOOR OPERATOR AZGDO210 & AZGDO211



RECOMMENDED ACCESSORIES:



AZ T21W
Transmitter



AZ T22
Transmitter



AZ PC 10
Photocell



AZ PCW L11
Wireless Photocell



AZ WLKP 17
Wireless Keypad



AZ KS 15
Key Switch



AZ RF WIFI 31 A
Wifi Module



AZ GSM 30
GSM Module



AZ FL 19
Flash Lamp



AZ GOEM 215
Emergency Manual
Release




AZ R1 40
External Receiver




AZ CSVC 217
Car Sun Visor Clip


GARAGE DOOR OPERATOR OPENING APPLICATIONS:




SECTIONAL
GARAGE DOORS



SLIDING
GARAGE DOORS



UP & OVER
RETRACTABLE



SIDE HINGED
DOORS

OPTIONAL INTEGRATION:



FACE
RECOGNITION



FINGER
PRINT



RFID



QR CODE



PASSWORD



IOT



GSM



SAFETY
DEVICES



BATTERY
BACKUP

| TECHNICAL SPECIFICATIONS: | AZGDO210 | AZGDO211 |
|------------------------------|------------------|------------------|
| Power supply | 220 V - 240 V AC | 220 V - 240 V AC |
| Motor power | 24V / 120W | 24V / 200W |
| Force | 1200N | 1800N |
| Max Door Area | 16 Sqm | 20 Sqm |
| Door Height | ≥3 m | ≥3 m |
| Running Speed | 12-15 cm/s | 18cm/s |
| Remote Distance | ≥30 m | ≥30 m |
| Max Recording of Transmitter | 25 nos | 25 nos |
| Temperature | - 20° C + 50° C | - 20° C + 50° C |
| Protection class | IP 20 | IP 20 |
| Weight | 6.5 Kg | 7 Kg |

AUTOZON®

ENTRANCE AUTOMATION

Our Range of Products:



SLIDING GATE OPERATOR



SWING GATE OPERATOR



SLIDING DOOR OPERATOR



SWING DOOR OPERATOR



CURTAIN OPERATOR



BLINDS OPERATOR



BOOM BARRIER



GARAGE DOOR & OPERATOR



ROLLING SHUTTER & OPERATOR



HIGH SPEED DOOR & OPERATOR



SECTIONAL DOOR & OPERATOR



RETRACTABLE GATE



BOLLARD



DOCK LEVELLER



GATE HARDWARES



ACCESSORIES

Applications:



RESIDENTIAL



INSTITUTION



PUBLIC PARKING



HOSPITAL



HOTEL



MALL



BUSINESS CENTER



WAREHOUSE



INDUSTRY

Corporate Office:

#308/1A, Rajeev Gandhi Road
Ganapathy, Coimbatore - 641 006
Tamil Nadu, INDIA

Chennai Branch Office:

No.3/14, 1st Cross Street, 1st Main Road,
Kalaimagal Nagar, Ekkatuthangal,
Chennai - 600032, Tamil Nadu, INDIA

Contact:

T : +91 75980 16000
M : +91 97872 55518

Contact:

T : 044 47100570
M : +91 9994929764



For more details:

Visit: www.autozonind.com | Email: info@autozonind.com

Sales & Service Network

Andhra Pradesh, Arunachal Pradesh, Assam, Bihar, Chhattisgarh, Goa, Gujarat, Haryana, Himachal Pradesh, Jharkhand, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Manipur, Meghalaya, Mizoram, Nagaland, Odisha, Punjab, Rajasthan, Sikkim, Tamil Nadu, Telangana, Tripura, Uttar Pradesh, Uttarakhand, West Bengal



follow us on: [f](#) autozonind [@](#) autozonind [t](#) autozonind [c](#) autozonind